




2020/HOMES/STEELDOORS

HÖRMANN



Whether quality or innovation,
safety or aesthetics - our steel doors
meet the highest demands.
We do not compromise.
This is something our customers know.
They trust us.
And have done for decades.
We are Hörmann.



ENTRANCE

2020/HOMES/ STEELDOORS/ ENTRANCE

Secure your world

Your family comes first. For you. For us.
We have ensured that your beloveds are secure
at all times and it all begins with the entrance door.
As they say, well begun is half done.





GW Series

Application: Entrance Door
Size: 1000 x 2100 mm
Locking: Mortise sash lock with dummy knob DN
Graintek™: Steel Door – Wood Stained – Natural Teak



GW Series

Application: Entrance Door
Size: 1000 x 2100 mm
Locking: Digital lock with fingerprint, PIN code
Graintek™: Steel Door – Wood Stained – Dark Mahogany

BE SECURE: Doors that offer complete peace of mind, doors that provide state-of-the-art, smart security solutions



PC Series
Application: Entrance Door
Size: 1000 x 2100 mm
Locking: Mortise sash lock with lever handle LT005
Flush: Powder Coated Steel Door - RAL 7035



GP Series

Application: Entrance Door
Size: 1000 x 2100 mm
Locking: Mortise sash lock with lever handle LT004
Graintek™: Steel Door - Powder Coated - RAL 9010

BE FIRE SAFE: Doors that extinguish any thoughts of fire, doors that come with the highest fire ratings in the segment



GP Series
Application: Entrance Door
Size: 1000 x 2100 mm
Locking: Mortise sash lock with pull handle PH002
Graintek™: Steel Door - Powder Coated - RAL 1013



GW Series

Application: Entrance Door

Size: 1000 x 2100 mm

Locking: Mortise sash lock with lever handle LT003 & dummy knob

Graintek™: Steel Door - Wood Stained - Moorish Teak

BE SMART: Doors that cut down on your AC power bills, doors that come with an inbuilt sealing system which keeps the AC airflow intact in the room



2020/HOMES/
STEELDOORS/
BEDROOM

Live every moment

A family that stays together stays together. You spend quality time, conversations and share moments that will be deeply etched in your memory. We have gone that extra mile to add life to your celebrations and to turn your dream of a home 'sweet' home into a reality.



BEDROOM

GW Series

Application: Bedroom Door

Size: 900 x 2100 mm

Locking: Mortise sash lock with lever handle LT006

Graintek™: Steel Door – Wood Stained – Modern Walnut





GP Series

Application: Bedroom Door

Size: 900 x 2100 mm

Locking: Mortise sash lock with lever handle LT006

Graintek™: Steel Door – Powder Coated – RAL 8017

BE NOISE-FREE: Doors that shut the outside chaos, doors that are built to reduce the noise levels dramatically.





PC Series

Application: Bedroom Door
Size: 900 x 2100 mm
Locking: Mortise sash lock with lever handle LT003
Flush: Steel Door – Powder Coated – RAL 9010

2020/HOMES/
STEELDOORS/
BATHROOM

Find time for yourself

Where time stands still, where you find your zen moment, where you let your thoughts linger, where you are with yourself. We have added those little details that help you find your space.



BATHROOM



GW Series

Application: Bedroom/Bathroom Door

Size: 900 x 2100 mm & 750 x 2100 mm

Locking: Mortise sash lock with lever handle LT004

Graintek™: Steel Door – Wood Stained – Modern Walnut


BALCONY

2020/HOMES/
STEELDOORS/
BALCONY

Your own sanctuary

Your picturesque green patch. Your oasis of calm. Your favourite place to hang out. Your little getaway den. Your small office. Your yoga deck. We have done all that it takes to help you discover your me-time.





GW Series
Application: Balcony
Size: 900 x 2100 mm
Locking: Mortise sash lock with dummy knob DN
Graintek™: Steel Door - Wood Stained - Moorish Teak

SHADES TO CHOOSE FROM



NATURAL TEAK



MODERN WALNUT



DARK MAHOGANY



MOORISH TEAK




RAL 9010



RAL 1013



RAL 7035



RAL 8017

Shades shown here are illustrative, actual shades may vary. Finishes are subject to change/availability.

HARDWARE



LT 002



LT 003



LT 004



LT 005



LT 006



DN



HINGE



MAGNETIC DOOR STOP



EYE VIEWER



PH 001



PH 002



CYLINDER WITH THUMB TURN



HALF CYLINDER

HIGH SECURITY CYLINDER

Protection against Illegal/Duplicate Keys with Patented Key Profile.


Active Blocking Pin for Higher Security & Extra Protection.

Anti-pick & Anti-Drill features.

6:Key Blanks, not available in Local Market.

Patented System Not Limited to the Design (Branch & Groove Design).

Additional features like selected entry, key override as standard.



pextra+ Even more protection



SMART DOOR AUTOMATION

Advantages at a glance:

- The door remains unlocked on the inside, locked on the outside
- Modern, high tech design
- Ideal for apartments and units
- Automatically locks when you close the door
- Know the door status at any time or anywhere
- Remotely unlock or share the digital key with visitors



M6 series

Features a Fingerprint entry, Card Key entry or PIN code entry system, remote control (optional) for added flexibility and mechanical key override.



YDME80

Features a Fingerprint entry, Card Key entry or PIN code entry system for added flexibility and mechanical key override.



Digital Eye Viewer
45-5000

STANDARD WALL OPENING SIZES

Application	Entrance	Bedroom	Bathroom	Balcony
Leaf Type	Single	Single	Single	Single
Dimensions in (mm)				
Wall opening sizes (width x height)				
1000 x 2100	•	•	-	-
1000 x 2200	•	•	-	-
1000 x 2400	•	•	-	-
1050 x 2100	•	-	-	-
1050 x 2200	•	-	-	-
1050 x 2400	•	-	-	-
1200 x 2100	•	-	-	-
1200 x 2200	•	-	-	-
1200 x 2400	•	-	-	-
900 x 2100	-	•	-	•
900 x 2200	-	•	-	•
900 x 2400	-	•	-	•
750 x 2100	-	-	•	-
750 x 2200	-	-	•	-
750 x 2400	-	-	•	-

• Available

Doors shall be made to suit above mentioned wall opening sizes

TECHNICAL DATA

Product Name	2020/HOMES/STEELDOORS			
Application	Entrance	Bedroom	Bathroom	Balcony
Variant 1 - Graintek™ Wood Finish	GW series	GW series	GW series	GW series
Variant 2 - Graintek™ Painted Finish	GP series	GP series	GP series	GP series
Variant 3 - Plain Painted Series	PC series	PC series	PC series	PC series
Leaf type	Single	Single	Single	Single
Standard Wall opening sizes (mm)	(see chart)	(see chart)	(see chart)	(see chart)

Frame				
Material	GI	GI	GI	GI
Sheet thickness	1.2mm	1.2mm	1.2mm	1.2mm
Profile size	125 x 45	125 x 45	125 x 45	125 x 45
Profile type	Grooved	Grooved	Grooved	Grooved
Architrave (only on one side)	o	o	o	o

Door shutter				
Material	GI	GI	GI	GI
Sheet thickness	0.8mm	0.8mm	0.8mm	0.8mm
Door leaf thickness	46	46	46	46
Infill	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Standard fire rating (Max 60min)	•	na	na	na
Fire rating (Max 120min)	o	na	na	na
Insulation (Max 30min)	o	na	na	na
Standard acoustic rating	30db	30db	30db	30db

- Standard
- o Optional
- na Not available

Product Name	2020/HOMES/STEELDOORS			
Application	Entrance	Bedroom	Bathroom	Balcony
Stainable wood finish- choice of 4 colors	o	o	o	o
RAL painted finish- choice of 4 colors	o	o	o	o

Hardware				
Ball bearing butt hinges in SSS	•	•	•	•
Mortise sash lock function	•	•	•	•
Night latch lock function	o	na	na	na
Bio-metric lock 1 function	o	na	na	na
Cylinder Euro profile with key x TT	•	•	•	na
Cylinder Euro profile with Blank x TT	na	na	na	•
Lever handles choice of 5 designs ³	•	•	•	•
Pull handle choice of 2 designs ³	o	na	na	na
Dummy Knob 1 design ³	o	na	na	na
Eye viewer	•	na	na	na
Digital Eye viewer ²	o	na	na	na
Magnetic door catch	•	•	na	•
Smoke & fire seal (Black)	•	na	na	na
Air-tight seal (Grey)	na	•	•	•
Additional (tower bolt)	o	o	o	o

- Bio-metric lock¹ - Dorma, Yale
- Digital Eye viewer² - Manufacturer defined
- Designs³ - Standard lever design LT 004 - other designs are available
- Designs³ - Standard pull design PH 002 - other designs are available
- Designs³ - Standard dummy knob design DN

SALES

From Design to Handover

Hörmann team understands the unique requirement and various dependencies when it comes to supply and installation of the door for home needs. There are various activities related to sales, manufacturing, supply, preparation of openings, integration of hardware solutions, installation, and handing over, which requires the skills, coordination, and supervision of an experienced team. We share our experiences at various stages to make your overall experience more exciting.

Sales

We have a trained team that can address all your queries related to product application and various issues. We believe in ethical and value-based operations and service systems for a long-lasting relationship with the client, that is you.

Solution

As an industry leader, we understand your requirements better than anyone else in the business. Choosing the right door for the right application is a serious business. Creating a balance between the ease of use, aesthetics and securing your spaces requires a complex need-based offering, packaged as a complete solution.

Manufacturing

We offer products of the highest quality which are long-lasting, thanks to our design technology, and the best manufacturing equipment in the business. Products are manufactured and finished at the highest quality for unmatched design and functionality.

Delivery

The doors are delivered to the site in the assembled & packed condition. Our packaging gives a unique experience of material-handling and storage at the site. The protection of the material in transit is done with utmost care for a hassle-free supply.



SERVICE

What You Need To Do?

Provide opening at site as per the template, so that the door manufactured can get installed dead-on with in opening.

Provide a secure storage space for safety and security of material supplied at site.

Power supply to be provided for economy of installation.

Inspection

We inspect and draw a plan based on occupancy. Floorwise site inspections are done to bring forth and address issues related to wall opening preparations and site conditions.

Installation

Our trained installers will install the doors as per the location and the agreed plans. Doors are aligned and plumbed, to check for the operations by various handymen. For better user experience, it is important to have the frames and doors aligned properly.

Finishing & Grouting

Our standard installation procedures include the grouting of the frame and sealing of the gap between the frame and the structural opening. Detailing is provided for better understanding and bringing in quality finishing of openings, perfect integration of the product and the structure.

Protection

It is important to protect the surface with finishes, as they tend to get spoiled because of various agencies working together. To avoid such issues, it is recommended to adopt the 2-step protection, one by choosing the right time to install, and two by giving additional foam protection to the door.

Handing Over

Once the doors are proven to be fully functional and without any performance issues, the product is handed over to you along with its keys, tagged with swatches, and the delivery sheet signed off with handshakes.



"A good reputation must be earned."

- August Hörmann, Founder, 1886-1944

Advantage Hörmann:

- 30 Countries
- 6000+ Strong Workforce
- 15+ Million Doors Delivered
- 80+ Sales Subsidiaries
- 27 Factories Across Europe, Asia & North America
- Manufacturing Facility in Hyderabad

Hörmann Forum, Steinhagen

The construction of the new training center is Hörmann's response to the increasing demand for product-related training opportunities. The Forum creates a central platform for the company, its products and the Hörmann partners. On three floors and over 2500 m² of exhibition area, it presents the company's varied product portfolio.



Shakti Hörmann Pvt. Ltd.,

#20, Sripuri Colony, Karkhana,
Secunderabad, Telangana 500 015

#28, Ground Floor
Ohkla Phase -III, New Delhi 110 020

P-19, Ground Floor, C.I.T. Housing Scheme XII,
Within Scheme VIIM, Nasta Gali,
Kankurgachi, Kolkata 700 054

No. 6, 2nd Floor, GPR Towers,
Park Road, Tusker Town,
Shivajinagar, Bangalore 560 051

No. 14, First Floor, Pattulous Road,
Chennai 600 002

First Floor, C/o. Visakha Business Centre,
D.No: 46-19-5, Mandavari Street, Dondaparthi,
Visakhapatnam 530 016

II-Flr, Bengal Chemicals Bhavan,
Veer Savarkar Road, Prabhadevi,
Mumbai 400 025

#406, 4th Floor, Ekdant Apartment, CTS No. 136,
Plot No. 8, Near Mehendale Garage,
Gulwani Maharaj Path, Erandwana, Pune 411 004

5B Colab, Hetu Construction Pvt. Ltd., 2nd Floor,
5/B Vishwabharti Society, Behind Navarangpura
Telephone Exchange, Off C.G. Road,
Ahmedabad 380 006



